



Price List Effective January 4, 2010

Part Number	Description	MSRP
<b>MegaVideo® Cameras</b>		
<b>1.3 Megapixel</b>		
AV1310 (NEW)	1.3 Megapixel MJPEG Color Camera, 1280x1024, COMPACT	\$490.00
AV1310DN (NEW)	1.3 Megapixel MJPEG Day/Night Camera, 1280x1024, motorized IR cut filter, COMPACT	\$590.00
AV1300M	1.3 Megapixel MJPEG Color Camera, 1280x1024	\$790.00
AV1300-AI	1.3 Megapixel MJPEG Color Camera, 1280x1024, w/ DC Auto Iris	\$890.00
AV1300DN	1.3 Megapixel MJPEG Day/Night Camera, 1280x1024, motorized IR cut filter	\$890.00
AV1305	1.3 Megapixel H.264/MJPEG Color Camera, 1280x1024	\$890.00
AV1305-AI	1.3 Megapixel H.264/MJPEG Color Camera, 1280x1024, w/DC Auto Iris	\$990.00
AV1305DN	1.3 Megapixel H.264/MJPEG Day/Night Camera, 1280x1024, motorized IR cut filter	\$990.00
<b>2 Megapixel</b>		
AV2110 (NEW)	2 Megapixel MJPEG Color Camera, 1600x1200, COMPACT	\$690.00
AV2110DN (NEW)	2 Megapixel MJPEG Day/Night Camera, 1600x1200, motorized IR cut filter, COMPACT	\$790.00
AV2100M	2 Megapixel MJPEG Color Camera, 1600x1200	\$890.00
AV2100-AI	2 Megapixel MJPEG Color Camera, 1600x1200, w/ DC Auto Iris	\$990.00
AV2100DN	2 Megapixel MJPEG Day/Night Camera, 1600x1200, motorized IR cut filter	\$990.00
AV2105	2 Megapixel H.264/MJPEG Color Camera, 1600x1200	\$990.00
AV2105-AI	2 Megapixel H.264/MJPEG Color Camera, 1600x1200, w/DC Auto Iris	\$1,090.00
AV2105DN	2 Megapixel H.264/MJPEG Day/Night Camera, 1600x1200, motorized IR cut filter	\$1,090.00
<b>3 Megapixel</b>		
AV3110 (NEW)	3 Megapixel MJPEG Color Camera, 2048x1536, COMPACT	\$890.00
AV3110DN (NEW)	3 Megapixel MJPEG Day/Night Camera, 2048x1536, motorized IR cut filter, COMPACT	\$990.00
AV3100M	3 Megapixel MJPEG Color Camera, 2048x1536	\$990.00
AV3100-AI	3 Megapixel MJPEG Color Camera, 2048x1536, w/ DC Auto Iris	\$1,090.00
AV3100DN	3 Megapixel MJPEG Day/Night Camera, 2048x1536, motorized IR cut filter	\$1,090.00
AV3105	3 Megapixel H.264/MJPEG Color Camera, 2048x1536	\$1,090.00
AV3105-AI	3 Megapixel H.264/MJPEG Color Camera, 2048x1536, w/ DC Auto Iris	\$1,190.00
AV3105DN	3 Megapixel H.264/MJPEG Day/Night Camera, 2048x1536, motorized IR cut filter	\$1,190.00
<b>5 Megapixel</b>		
AV5110 (NEW)	5 Megapixel MJPEG Color Camera, 2592x1944, COMPACT	\$990.00
AV5110DN (NEW)	5 Megapixel MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter, COMPACT	\$1,090.00
AV5100M	5 Megapixel MJPEG Color Camera, 2592x1944	\$1,090.00
AV5100-AI	5 Megapixel MJPEG Color Camera, 2592x1944, w/ DC Auto Iris	\$1,190.00
AV5100DN	5 Megapixel MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter	\$1,190.00
AV5105	5 Megapixel H.264/MJPEG Color Camera, 2592x1944	\$1,190.00
AV5105-AI	5 Megapixel H.264/MJPEG Color Camera, 2592x1944, w/DC Auto Iris	\$1,290.00
AV5105DN	5 Megapixel H.264/MJPEG Day/Night Camera, 2592x1944, motorized IR cut filter	\$1,290.00
<b>Dual Sensor</b>		
AV3130M	3/1.3 Megapixel MJPEG DayNight (Dual Sensor) Color + B&W Camera, 2048x1536 / 1280 x 1024	\$1,090.00
AV3135	3/1.3 Megapixel H.264/MJPEG DayNight (Dual Sensor) Color + B&W Camera, 2048x1536 / 1280 x 1024	\$1,190.00
<b>MegaDome™ Cameras</b>		
<b>1.3 Megapixel</b>		
AV1355	1.3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,190.00
AV1355-1HK	AV1355 with 10V - 50V DC Heater	\$1,250.00
AV1355DN	1.3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,290.00
AV1355DN-1HK	AV1355DN with 10V - 50V DC Heater	\$1,350.00
AV1355-16	1.3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,230.00
AV1355-16HK	AV1355-16 with 10V - 50V DC Heater	\$1,290.00
AV1355DN-16	1.3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,330.00
AV1355DN-16HK	AV1355DN-16 with 10V - 50V DC Heater	\$1,390.00
<b>2 Megapixel</b>		
AV2155	2 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,390.00
AV2155-1HK	AV2155 with 10V - 50V DC Heater	\$1,450.00
AV2155DN	2 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,490.00
AV2155DN-1HK	AV2155DN with 10V - 50V DC Heater	\$1,550.00



Price List Effective January 4, 2010

Part Number	Description	MSRP
AV2155-16	2 Megapixel H.264/MJPEG IP Color All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,430.00
AV2155-16HK	AV2155-16 with 10V - 50V DC Heater	\$1,490.00
AV2155DN-16	2 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,530.00
AV2155DN-16HK	AV2155DN-16 with 10V - 50V DC Heater	\$1,590.00



Price List Effective January 4, 2010

Part Number	Description	MSRP
<b>3 Megapixel</b>		
AV3155	3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,490.00
AV3155-1HK	AV3155 with 10V - 50V DC Heater	\$1,550.00
AV3155DN	3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,590.00
AV3155DN-1HK	AV3155DN with 10V - 50V DC Heater	\$1,650.00
AV3155-16	3 Megapixel H.264/MJPEG IP Color All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,530.00
AV3155-16HK	AV3155-16 with 10V - 50V DC Heater	\$1,590.00
AV3155DN-16	3 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,630.00
AV3155DN-16HK	AV3155DN-16 with 10V - 50V DC Heater	\$1,690.00
<b>5 Megapixel</b>		
AV5155	5 Megapixel H.264/MJPEG IP Color All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,590.00
AV5155-1HK	AV5155 with 10V - 50V DC Heater	\$1,650.00
AV5155DN	5 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 4.5-10mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,690.00
AV5155DN-1HK	AV5155DN with 10V - 50V DC Heater	\$1,750.00
AV5155-16	5 Megapixel H.264/MJPEG IP Color All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,630.00
AV5155-16HK	AV5155-16 with 10V - 50V DC Heater	\$1,690.00
AV5155DN-16	5 Megapixel H.264/MJPEG IP DayNight All-In-One Camera, 8-16mm Megapixel Varifocal Lens, IP66 Vandal Resistant Dome Housing	\$1,730.00
AV5155DN-16HK	AV5155DN-16 with 10V - 50V DC Heater	\$1,790.00
MD-1HK	MegaDome Optional Heater Kit, 10V - 50V DC	\$50.00
MD-WMT	Wall Mount for MegaDome™ Series	\$130.00
MD-CMT	Pendant Mount for MegaDome™ Series	\$130.00
MD-PMA	Pole Mount Adapter for MD-WMT MegaDome™ Wall Mount	\$90.00
MD-CRMA	Corner Mount Adapter for MD-WMT MegaDome™ Wall Mount	\$90.00
MD-EBA	Electrical Box Adapter Plate for MegaDome™ Series	\$20.00
MD-FMA	Flush Mount for MegaDome™ Series	\$100.00
<b>SurroundVideo® Cameras</b>		
<b>180 Degree</b>		
AV8180	8.0 Megapixel MJPEG 180° Camera, 6400x1200, (4) 8mm MP lenses included, indoor, surface mount	\$2,390.00
AV8185	8.0 Megapixel H.264/MJPEG 180° Camera, 6400x1200, (4) 8mm MP lenses included, indoor, surface mount	\$2,990.00
<b>360 Degree</b>		
AV8360	8.0 Megapixel MJPEG 360° Camera, 6400x1200, (4) 4mm MP lenses included, indoor, surface mount	\$2,190.00
AV8365	8.0 Megapixel H.264/MJPEG 360° Camera, 6400x1200, (4) 4mm MP lenses included, indoor, surface mount	\$2,790.00
<b>Housings, Domes, Accessories</b>		
HSG1-O-W	Outdoor IP67 vandal proof Housing for single and dual sensor cameras, with heater/blower	\$230.00
SS-HSG1	Sunshade for HSG1-O-W	\$110.00
HSG-PMA	Pole mount adapter for HSG1-O-W housing	\$160.00
HSG-CRMA	Corner mount adapter for HSG1-O-W housing	\$160.00
DOME3-I	Indoor 3" dome for single sensor camera with fisheye lens (LENS2.3 sold separately)	\$190.00
DOME4-I	Outdoor 4" vandal resistant dome, dome for single/dual sensor cameras, IP66 (Arecont Vision fixed focal lenses only)	\$190.00
DOME4-O	Outdoor 4" vandal resistant dome, dome for single/dual sensor cameras, IP66 w/heater (Arecont Vision fixed focal lenses only)	\$260.00
DOME5-I	Indoor 5" recessed dome for single/dual sensor cameras	\$190.00
DOME6-I-C	Indoor 6" vandal resistant dome for AV8xxx, pendant mount	\$390.00
DOME6-I-W	Indoor 6" vandal resistant dome for AV8xxx, wall mount	\$390.00
DOME6-O-C	Outdoor 6" vandal resistant dome for AV8xxx, w/heater blower, sunshade, pendant mount, IP66	\$590.00
DOME6-O-W	Outdoor 6" vandal resistant dome for AV8xxx, w/heater blower, sunshade, wall mount, IP66	\$590.00
D6-PMA	Pole mount for DOME6-x-W	\$110.00
D6-CMA	Corner mount for DOME6-x-W	\$110.00
RD-KIT	Recessed dome ring kit for the AV8xxx, Indoor	\$78.00



Price List Effective January 4, 2010

Part Number	Description	MSRP



Price List Effective January 4, 2010

Part Number	Description	MSRP
<b>Fixed Focal Megapixel Lenses</b>		
LENS2.3	Arecont 2.3mm, FISHEYE, 1/2", f2.0	\$118.00
LENS4.0	Arecont 4mm, 1/2", f2.0, Fixed Iris, 90° FOV	\$128.00
MPL4.0	Arecont 4mm, 1/1.8", f1.8, CS-mount, Fixed Iris, 101° FOV	\$110.00
H0514-MP	Computar 5mm, 1/2", f1.4, Manual Iris, 65.5° FOV	\$276.00
LENS6.0	Arecont 6mm, 1/2", f2.0, Fixed Iris, 65.5° FOV	\$136.00
MPL6.0	Arecont 6mm, 1/2", f1.4, Manual Iris, 65.5° FOV	\$270.00
M0814-MP	Computar 8mm, 2/3", f1.4, Manual Iris, 42.5° FOV	\$264.00
LENS8.0	Arecont 8mm, 1/2", f2.0, Fixed Iris, 42.5° FOV	\$136.00
MPL8.0	Arecont 8mm, 1/1.8", f1.8, CS-mount, Fixed Iris, 51° FOV	\$120.00
M1214-MP	Computar 12mm, 2/3", f1.4, Manual Iris, 30.0° FOV	\$260.00
LENS12.0	Arecont 12mm, 1/2", f2.0, Fixed Iris, 30.0° FOV	\$144.00
M1614-MP	Computar 16mm, 2/3", f1.4, Manual Iris, 22.7° FOV	\$240.00
M2514-MP	Computar 25mm, 2/3", f1.4, Manual Iris, 14.6° FOV	\$236.00
M5018-MP	Computar 50mm, 2/3", f1.8, Manual Iris, 7.6° FOV	\$232.00
SY110M	Theia 1.67mm, 1/2.5, f1.8, Manual Iris, 120° FOV	\$310.00
<b>Varifocal Megapixel Lenses</b>		
LENS4-10	Arecont 4-10mm, 1/2", f1.8, CS-mount, 37.3° - 94.8° FOV	\$170.00
LENS4-10AI	Arecont 4-10mm, 1/2", f1.8, CS-mount, 37.3° - 94.8° FOV, DC Auto Iris	\$260.00
LENS4-13	Arecont 4.5-13mm, 1/2", f1.8, CS-mount, IR Corrected, 31.2° - 90.3 FOV	\$390.00
MPL4-10	Arecont 4.5-10mm, 1/2", f1.6, CS-mount IR Corrected, 37.0° - 80.5° FOV	\$150.00
MPL8-16	Arecont 8-16mm, 1/2", f1.6, CS-mount, IR Corrected, 26.0° - 50° FOV	\$170.00
HG220414FC-MP	Computar 4-8mm, 1/2", f1.4, C-mount, 47.0° - 90.4° FOV, DC Auto Iris	\$330.00
M3Z1228C-MP	Computar 12-36mm, 2/3", C-mount, 13.6° - 41° FOV	\$334.00
12VM1040ASI	Tamron 10-40mm, 1/2", f1.4, C-mount, 9.2° - 37.5°	\$256.00
12VG1040ASI	Tamron 10-40mm, 1/2", f1.4, C-mount, 9.2° - 37.5°, DC Auto Iris	\$264.00
<b>Accessories</b>		
AV100	NVR Software License (per camera)	\$58.00
FS108P	Netgear 8 (4 port PoE) Network Switch	\$320.00
FS726TP	Netgear 24 (12 port PoE) L2 Managed Gigabit Switch	\$930.00
Highwire	Highwire Ethernet to Coax to Ethernet Retrofit Module (one pair)	\$630.00
PinPoint	IP Camera Focusing Adapter	\$80.00
<b>Camera Packages (Camera + Lens + Housing)</b>		
<b>180 Degree Panoramic Kits</b>		
8180-NA-D6-N	8.0 Megapixel MJPEG 180° Camera, Indoor Pendant, Ceiling (AV8180 + DOME6-I-C)	\$2,760.00
8185-NA-D6-N	8.0 Megapixel H.264 180° Camera, Indoor Pendant, Ceiling (AV8185 + DOME6-I-C)	\$3,360.00
8180-NA-DA-N	8.0 Megapixel MJPEG 180° Camera, Indoor Pendant, Wall (AV8180 + DOME6-I-W)	\$2,760.00
8185-NA-DA-N	8.0 Megapixel H.264 180° Camera, Indoor Pendant, Wall (AV8185 + DOME6-I-W)	\$3,360.00
8180-NA-DB-N	8.0 Megapixel MJPEG 180° Camera, Outdoor Pendant, Ceiling (AV8180 + DOME6-O-C)	\$2,960.00
8185-NA-DB-N	8.0 Megapixel H.264 180° Camera, Outdoor Pendant, Ceiling (AV8185 + DOME6-O-C)	\$3,560.00
8180-NA-DC-N	8.0 Megapixel MJPEG 180° Camera, Outdoor Pendant, Wall (AV8180 + DOME6-O-W)	\$2,960.00
8185-NA-DC-N	8.0 Megapixel H.264 180° Camera, Outdoor Pendant, Wall (AV8185 + DOME6-O-W)	\$3,560.00
<b>360 Degree Panoramic Kits</b>		
8360-NA-D6-N	8.0 Megapixel MJPEG 360° Camera, Indoor Pendant, Ceiling (AV8360 + DOME6-I-C)	\$2,560.00
8365-NA-D6-N	8.0 Megapixel H.264 360° Camera, Indoor Pendant, Ceiling (AV8365 + DOME6-I-C)	\$3,160.00
8360-NA-DA-N	8.0 Megapixel MJPEG 360° Camera, Indoor Pendant, Wall (AV8360 + DOME6-I-W)	\$2,560.00
8365-NA-DA-N	8.0 Megapixel H.264 360° Camera, Indoor Pendant, Wall (AV8365 + DOME6-I-W)	\$3,160.00
8360-NA-DB-N	8.0 Megapixel MJPEG 360° Camera, Outdoor Pendant, Ceiling (AV8360 + DOME6-O-C)	\$2,760.00
8365-NA-DB-N	8.0 Megapixel H.264 360° Camera, Outdoor Pendant, Ceiling (AV8365 + DOME6-O-C)	\$3,360.00
8360-NA-DC-N	8.0 Megapixel MJPEG 360° Camera, Outdoor Pendant, Wall (AV8365 + DOME6-O-W)	\$2,760.00
8365-NA-DC-N	8.0 Megapixel H.264 360° Camera, Outdoor Pendant, Wall (AV8365 + DOME6-O-W)	\$3,360.00

**Terms and Conditions**

- o FOB Los Angeles
- o 12 month warranty
- o All pricing in USD
- o Prices subject to change without notice

**What size lens do I use?**

- o Arecont Vision Megapixel cameras use a 1/2" sensor. A 1/2" optical size or larger lens must be used. (CCD cameras typically use 1/3 inch lens).

**What type of lens?**

- o "Megapixel" lenses should be used. Yes, there is a class of lenses called Megapixel. Arecont Vision offers a comprehensive line of lenses to cover a majority of megapixel applications. We also recommend lenses from well known companies, such as, Computar, Fujinon, Tamron or Pentax.

**Auto-iris versus non Auto-Iris**

- o Arecont Vision's most popular cameras are manual iris cameras. All Arecont Vision cameras feature a CMOS sensor rather than a CCD sensor that is used in most Analog cameras. The CMOS sensors do not exhibit the bright light blooming problem or vertical smearing that is seen in CCD sensors.



Price List Effective January 4, 2010

Part Number	Description	MSRP
	<p>CCD sensors require auto-iris for minimizing the blooming. In general, non auto-iris lens are far superior lens in quality to auto-iris lens.</p> <p><b>What is the proper aperture setting for megapixel cameras?</b></p> <ul style="list-style-type: none"> <li>o The optimal position for megapixel lens is f2.0 to f4.0</li> </ul> <p><b>What type of lens should be used for the AV3130M and AV3135?</b></p> <ul style="list-style-type: none"> <li>o The AV313x lens mounts are very close to each other. The following Arecont Vision lenses are recommended: MPL4.0, MPL6.0, MPL8.0, MPL 4-10, MPL8-16, LENS4.0, LENS6.0, LENS8.0, LENS12.0. Other manufacturer lenses with an outer diameter less than 1.5 inches may also work.</li> </ul>	